

### Assignment 1

1. Relations between symmetries and Fourier coefficients. Let  $f \in L^1(\mathbb{T})$ .

(a) Assuming that the Fourier series converges absolutely, show that

$$f(x) = \widehat{f}(0) + \sum_{n \geq 1} [\widehat{f}(n) + \widehat{f}(-n)] \cos(2\pi nx) + i[\widehat{f}(n) - \widehat{f}(-n)] \sin(2\pi nx).$$

(b) Show that  $\widehat{f}$  is even if  $f$  is even (that is,  $\widehat{f}(k) = \widehat{f}(-k)$ ). Then  $f$  is given by a cosine series.

(c) Show that  $\widehat{f}$  is odd if  $f$  is odd. Then  $f$  is given by a sine series.

(d) Suppose that  $f(x + \frac{1}{2}) = f(x)$  for all  $x \in \mathbb{T}$ . Show that  $\widehat{f}(k) = 0$  for odd  $k$ .

(d) Show that  $f$  is real-valued if and only if  $\overline{\widehat{f}(k)} = \widehat{f}(-k)$ .

2. Let  $f$  be the odd function such that  $f(x) = x(\frac{1}{2} - x)$  on  $[0, \frac{1}{2}]$ . Draw the graph of the function, and prove that

$$f(x) = \frac{8}{\pi} \sum_{n \geq 1, \text{ odd}} \frac{\sin(2\pi nx)}{n^3}.$$

3. (a) Let  $f(x) = |x|$  on  $[-\frac{1}{2}, \frac{1}{2}]$ . Show that

$$\widehat{f}(k) = \begin{cases} 1/4 & \text{if } k = 0, \\ \frac{(-1)^k - 1}{2\pi^2 k^2} & \text{if } k \neq 0. \end{cases}$$

(b) Let  $f(x) = x^2$  on  $[-\frac{1}{2}, \frac{1}{2}]$ . Show that

$$\widehat{f}(k) = \begin{cases} 1/12 & \text{if } k = 0, \\ \frac{\cos(\pi k)}{2\pi^2 k^2} & \text{if } k \neq 0. \end{cases}$$

(c) Prove the following relations. (The results above may help!)

$$\sum_{n \geq 1, \text{ odd}} \frac{1}{n^2} = \frac{\pi^2}{8}, \quad \sum_{n \geq 1} \frac{1}{n^2} = \frac{\pi^2}{6}.$$

- 4.(a) Let  $(a_n)_{n \geq 1}$  be a sequence of real numbers that decrease monotonically to 0, and  $(b_n)_{n \geq 1}$  be a sequence of complex numbers such that all partial sums are bounded. Prove that  $\sum_n a_n b_n$  converges. (This is **Dirichlet's test** for the convergence of series). You may want to prove and use the following identity:

$$\sum_{n=M}^N a_n b_n = a_N \sum_{n=1}^N b_n - a_M \sum_{n=1}^{M-1} b_n - \sum_{n=M}^{N-1} (a_{n+1} - a_n) \sum_{m=1}^n b_m.$$

(This is a discrete summation by parts.)

- (b) Check that the Fourier series with coefficients  $\hat{f}(k) = 1/k$ , for  $k \neq 0$ , converges.
- (c) Find the function  $f$ , and plot it.